

Tire Size	Rim Width Range (inches)	Section width on rim width*	Overall Diameter
-----------	--------------------------	-----------------------------	------------------

14" Diameter Tires			
P185/70R14	4.5 - 6.0	7.4 on 5.5	24.3
P195/70R14	5.0 - 6.5	7.9 on 6.0	24.8
P205/70R14	5.0 - 7.0	8.2 on 6.0	25.4
P215/70R14	5.5 - 7.0	8.7 on 6.5	25.9
P225/70R14	6.0 - 7.5	9.0 on 6.5	26.5
P195/60R14	5.5 - 7.0	7.9 on 6.0	23.2
P215/60R14	6.0 - 7.5	8.7 on 6.5	24.2
P225/60R14	6.0 - 8.0	9.0 on 6.5	24.7
P235/60R14	6.5 - 8.5	9.5 on 7.0	25.1
P245/60R14	7.0 - 8.5	9.8 on 7.0	25.6

15" Diameter Tires			
P155/80R15	4.5 - 5.5	6.1 on 4.5	24.7
P165/80R15	4.0 - 5.5	6.4 on 5	25.2
P185/65R15	5.0 - 7.0	7.3 on 5.5	24.5
P185/60R15	5.0 - 7.0	7.4 on 5.5	23.7
P195/70R15	5.0 - 6.0	7.9 on 6.0	25.7
P195/60R15	5.5 - 7.0	7.9 on 6.0	24.2
P195/55R15	5.5 - 7.0	8.0 on 7.0	23.3
P195/50R15	5.5 - 7.0	7.8 on 7.0	22.7
P205/55R15	5.5 - 7.5	8.4 on 6.5	23.9
P205/60R15	5.5 - 7.5	8.2 on 6.0	24.7
P215/60R15	6.0 - 7.5	8.7 on 6.5	25.2
P215/65R15	6.0 - 7.5	8.7 on 6.5	26
P215/70R15	5.5 - 7.0	8.7 on 6.5	26.9
P225/60R15	6.0 - 8.0	9.0 on 6.5	25.6
P225/70R15	6.0 - 7.5	9.0 on 6.5	27.4
P235/60R15	6.5 - 8.5	9.5 on 7.0	26.1
P235/70R15	6.0 - 8.0	9.5 on 7.0	28
P245/60R15	7.0 - 8.5	9.8 on 7.0	26.6
P255/60R15	7.0 - 9.0	10.2 on 7.5	27.1
P255/70R15	6.5 - 8.5	10.2 on 7.5	29.1
P265/50R15	7.5 - 9.5	10.9 on 8.5	25.5
P275/50R15	7.5 - 9.5	11.2 on 8.5	25.9
P275/60R15	7.5 - 9.5	11.0 on 8.0	28
P285/70R15	7.5 - 9.5	11.3 on 8.5	30.8
P295/50R15	8.0 - 10.0	12.2 on 9.5	26.7
P345/35R15	11 - 13.5	14.0 on 12.0	24.9

Tire Size	Rim Width Range (inches)	Section width on rim width*	Overall Diameter
-----------	--------------------------	-----------------------------	------------------

16" Diameter Tires			
P195/50R16	5.5 - 7.0	7.9 on 6.0	23.7
P205/60R16	5.5 - 7.5	8.2 on 6.0	25.7
P205/55R16	5.5 - 7.5	8.4 on 6.5	24.9
P205/50R16	5.5 - 7.5	8.4 on 6.5	24.1
P215/60R16	6.0 - 7.5	8.7 on 6.5	26.1
P225/50R16	6.0 - 8.0	9.2 on 7.0	24.9
P245/50R16	6.5 - 8.5	10.0 on 7.5	25.7
P255/50R16	7.0 - 9.0	10.2 on 8.0	26
P265/60R16	7.5 - 9.5	10.7 on 8.0	28.5
P265/50R16	7.5 - 9.5	10.9 on 8.5	26.5
P275/65R16	7.5 - 9.5	11.0 on 8.0	30.1
P285/60R16	8.0 - 10.0	11.4 on 8.5	29.5
P295/50R16	8.0 - 10.0	12.2 on 9.5	27.6

17" Diameter Tires			
P195/45R17	6.0-7.5	7.8 on 6.5	23.9
P205/50R17	5.5 - 7.5	8.7 on 7.0	25.1
P215/50R17	6.0 - 7.5	8.9 on 7.0	25.5
P215/55R17	6.0 - 7.5	9.1 on 7.0	26.3
P215/60R17	6.0 - 7.5	8.9 on 7.0	27.2
P225/50R17	6.0 - 8.0	9.0 on 7.0	25.9
P235/45R17	7.5 - 9.0	9.4 on 8.0	25.3
P235/50R17	6.5 - 8.5	9.7 on 7.5	26.4
P245/40R17	8.0 - 9.5	9.7 on 8.0	24.6
P245/45R17	7.5 - 9.0	9.7 on 8.0	25.6
P245/50R17	7.5 - 8.5	10.2 on 8.0	26.6
P255/40R17	8.5 - 10.0	10.3 on 9.0	25
P255/50R17	7.0 -9.0	10.2 on 8.0	27.1
P265/40R17	9.0 - 10.5	10.7 on 10.0	25.3
P275/40R17	9 - 11.0	11.1 on 9.5	25.7
P275/50R17	7.5 - 9.5	11.1 on 8.5	27.9
P285/40R17	9.5 - 11.0	11.0 on 11.0	26
P295/40R17	10.0 - 11.5	12.2 on 11.5	26.1
P295/35R17	10 - 11.5	11.9 on 11.0	25.1
P315/35R17	10.5 - 12.5	12.6 on 11.0	25.7
P335/35R17	11.0 - 13.0	13.5 on 12.0	26.2

Tire Size	Rim Width Range (inches)	Section width on rim width*	Overall Diameter
-----------	--------------------------	-----------------------------	------------------

18" Diameter Tires			
P225/40R18	7.5 - 9.0	9.0 on 8.0	25
P245/40R18	8.0 - 9.5	9.7 on 8.5	25.7
P255/55R18	7.0 - 9.0	10.3 on 8.0	28.9
P255/45R18	8.0 - 9.5	10.4 on 8.5	26.9
P255/35R18	8.5 - 10.0	10.2 on 9.0	24.9
P265/35R18	9.0 - 10.5	10.7 on 9.5	25.3
P275/35R18	9.0 - 11.0	10.9 on 9.5	25.6
P275/40R18	9.0 - 11.0	10.9 on 9.5	26.6
P285/50R18	8.0 - 10.0	11.5 on 9.0	29.1
P295/45R18	9.5 - 11.0	11.5 on 10.0	28.3
P305/35R18	10.0 - 12.0	12.4 on 11.0	26.4
P305/45R18	9.5 - 11.5	12.1 on 10.0	28.8
P305/55R18	8.5 - 11.0	12.2 on 9.5	31.2
P315/30R18	10.5 - 11.5	12.6 on 11.0	25.5

20" Diameter Tires			
P255/50R20	7.0 - 9.0	10.2 on 8.0	29.9
P265/50R20	7.5 - 9.5	10.9 on 8.5	30.5
P275/35R20	9.0 - 11.0	10.9 on 9.5	27.6
P295/50R20	8.0 - 10.5	11.9 on 9.5	31.7
P295/45R20	9.5 - 11.0	11.6 on 10.0	30.5
P295/40R20	10.0 - 11.5	12.0 on 10.5	29.5
P305/40R20	10.0 - 12.0	12.2 on 11.0	29.6

*The dimensions shown are average values for tires measured on the specified rim width. SPECIAL NOTE: Section width varies approximately 0.2" for every 0.5" change in rim width.